



DOCUMENTATION HYDROBIO



www.iblspecific.com
contact@iblspecific.com - Tél. : 0033(0)1 41 98 32 20

HYDROBIO | GENERAL PRESENTATION

INDUSTRIAL CLEANER HOT WATER PRESSURE

HYDROBIO is a powerful electric industrial cleaner with overpressure and hot water, for intensive use. This model with very low water consumption and very quiet can clean and sanitize surfaces and equipment in the mechanical and food industry.

HYDROBIO

- Adjustable overpressure jet (70 to 150 bar)
- 95 ° C hot water for optimal cleaning and degreasing
- Accessories adaptable to all surfaces (optional)
- Its stainless steel side ensures a very important robustness
- With only 2 buttons, it is very easy to use

optional hose reel

HYDROBIO



Cleaning
100% Ecological



Reduced water
consumption



Les avantages du nettoyage avec Hydrobio

Thanks to its very low flow rate and its very low water consumption, the operator can work as close as possible to the parts to be cleaned without being splashed from head to foot: The “pencil” gun makes it possible to clean and remove stains in every nook and cranny. In the agri-food sector, HYDROBIO avoids spatter and therefore cross-contamination.

The pencil gun is very light and handy.




HYDROBIO | OPERATING PRINCIPLE...

operating principle of HYDROBIO

Tank 40 liters
(optionnal)



Very simple control panel: 2 buttons



HYDROBIO | OPERATION

Technical characteristics

Electrical characteristic

Alimentation	400v / 50Hz
Max. Total power	11 KW
Ampérage	16 amp
Cable électrique	4 m


Structure

Dimensions	61 x 95 x 80 cm
Hose reel	Optionnal
Weight	70 kg

Water

Water flow (pre-set at the factory)	2,5L /min
Pressure	Adjustable : 70 to 150 bars
Temperature Hot water	95°C
Water inlet pressure	minimum 2 bars
Water tank capacity (optionnal)	44 L

Recommended accessory kit



HYDROBIO | APPLICATIONS

